L Number	Hits	Search Text	DB	Time stamp
1	0	@ad<20001004 and (SMTP adj extension) and (alternate adj recipient)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 16:37
2	0	@ad<20001004 and (SMTP adj extension) and (alternate or another or different) adj (receiver or destination or recipient)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 11:39
3	6	@ad<20001004 and (SMTP same extension) and (alternate or another or different) adj (receiver or destination or recipient)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 11:44
4	12	@ad<20001004 and (SMTP same extension) and (alternate or another or different or additional) adj (receiver or destination or recipient or address)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 11:46
5	4	@ad<20001004 and (SMTP and extension) same (alternate or another or different or additional) adj (receiver or destination or recipient or address)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 11:47
6	31	@ad<20001004 and (SMTP and extension) and (alternate or another or different or additional) adj (receiver or destination or recipient or address)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 11:48
7	3	@ad<20001004 and (SMTP and extension) and (alternate) adj (receiver or destination or recipient or address)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 11:50
8	3	@ad<20001004 and (SMTP and extension) and (alternate or another) adj (receiver or destination or recipient or address)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 11:51
9	26	@ad<20001004 and (SMTP and extension) and (alternate or another or different) adj (receiver or destination or recipient or address)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 12:05
10	43	@ad<20001004 and (SMTP and extension) and (alternate or another or different) adj (receiver or destination or recipient or address or email or e-mail)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 12:06
11	4	@ad<20001004 and (SMTP and extension) same (alternate or another or different) adj (receiver or destination or recipient or address or email or e-mail)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 12:06
12	4	@ad<20001004 and (SMTP and extension) and (alternate) adj (receiver or destination or recipient or address or email or e-mail)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 12:07
83	26	@ad<20001004 and (SMTP same extension) and (alternate and forward$3 or redirect$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 16:38
87	23	@ad<20001004 and (SMTP same extension) same (alternate or forward$3 or redirect$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 16:40
95	14	@ad<20001004 and (notifi$6 or notify$3) and (sender or orginator) and (alternate adj (recipient or receiver or destination)) and (email or e-mail)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 17:26
96	0	@ad<20001004 and (notifi$6 or notify$3) near (sender or orginator) and (alternate adj (recipient or receiver or destination)) and (email or e-mail)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 17:27
97	44	@ad<20001004 and (notifi$6 or notify$3) near (sender or orginator) and (receiv$3 or deliver$3) near (email or e-mail)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 17:27

C:\APPS\east\workspaces\09679212_AlternateEmailForwarding.wsp

98	9	@ad<20001004 and (notifi$6 or notify$3) near (sender or orginator) same (receiv$3 or deliver$3) near (email or e-mail)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 17:27
101	3	@ad<20001004 and (sender) adj (specify$3 or provid$3 or supply$3) adj (delivery or notification or DSN or (delivery adj status adj notification))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 17:58
100	17	@ad<20001004 and (sender) adj (specify$3 or provid$3 or supply$3) same (delivery or notification or DSN or (delivery adj status adj notification))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 19:26
104	14	@ad<20001004 and (sender) same (specify$3 or provid$3 or supply$3) adj (delivery or notification or DSN or (delivery adj status adj notification))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 19:28
105	75	@ad<20001004 and (sender) same (specify$3 or provid$3 or supply$3) adj (receipt or receiv$3 or delivery or notification or DSN or (delivery adj status adj notification))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 19:29
106	5	@ad<20001004 and (sender) adj (specify$3 or provid$3 or supply$3) adj (receipt or receiv$3 or delivery or notification or DSN or (delivery adj status adj notification))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 19:30
107	7	@ad<20001004 and (sender) adj (specify$3 or provid$3 or supply$3) adj (confirmation or receipt or receiv$3 or delivery or notification or DSN or (delivery adj status adj notification))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 19:30
103	27	@ad<20001004 and (sender) near (specify$3 or provid$3 or supply$3) same (delivery or notification or DSN or (delivery adj status adj notification))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 19:30
-	0	@ad<20001004 and (specif$4 adj alternate adj (recipient or email or e-mail or receiver))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 11:38
-	6	@ad<20001004 and (specif$4 near (different or alternate) adj (recipient or email or e-mail or receiver))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 18:31
-	5	@ad<20001004 and (specif$4 or forward$3) near (different or alternate) near (recipient or email or e-mail or receiver) and (email or e-mail or (electronic adj mail))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 16:33
-	5	@ad<20001004 and (specif$4 or forward$3) near (different or alternate or another) near (recipient or email or e-mail or receiver) and (SMTP or email or e-mail or (electronic adj mail))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 16:34
-	75	@ad<20001004 and (specif$4 or forward$3) same (different or alternate or another) near (recipient or email or e-mail or receiver) and (SMTP or email or e-mail or (electronic adj mail))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 18:30
-	15	@ad<20001004 and (specif$4 or forward$3) same (different or alternate or another) near (recipient or email or e-mail or receiver) and (SMTP) and (email or e-mail or (electronic adj mail))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 16:44
-	0	@ad<20001004 and (specif$4 or forward$3 or select$3) near (different or alternate or another) near (recipient or email or e-mail or receiver) and (SMTP)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 16:45

C:\APPS\east\workspaces\09679212_AlternateEmailForwarding.wsp

-	0	@ad<20001004 and (specif$4 or forward$3 or select$3 or deliver$3) near (different or alternate or another) near (recipient or email or e-mail or receiver) and (SMTP)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 16:46
-	3	@ad<20001004 and (original and alternate) near (recipient or email or e-mail or receiver) and (SMTP)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 16:48
-	0	@ad<20001004 and (original same alternate) near (recipient or email or e-mail or receiver)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 16:48
-	8	@ad<20001004 and (original and alternate) near (recipient or email or e-mail or receiver)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 16:53
-	2	@ad<20001004 and (original adj recipient) and (alternate adj recipient) and (recipient or email or e-mail or receiver)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 18:29
-	0	@ad<20001004 and (original adj recipient) and (alternate adj recipient) and STMP	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 18:29
-	50	@ad<20001004 and (specif$4 or forward$3) same (different or alternate or another) near (recipient or email or e-mail or receiver) same (SMTP or email or e-mail or (electronic adj mail))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 18:30
-	40	@ad<20001004 and (specif$4) same (different or alternate or another) near (recipient or email or e-mail or receiver) same (SMTP or email or e-mail or (electronic adj mail))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 18:30
-	9	@ad<20001004 and (specif$4 near (different or alternate) near (recipient or email or e-mail or receiver))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 18:32
-	3	@ad<20001004 and (specify$3 or forward$3) near (different or alternate) near (recipient or email or e-mail or receiver or (electronic adj mail))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 18:34
-	111	@ad<20001004 and (specify$3 or forward$3) same (different or alternate) near (recipient or email or e-mail or receiver or (electronic adj mail))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 18:33
-	78	@ad<20001004 and (specify$3 or forward$3) near (different or alternate) same (recipient or email or e-mail or receiver or (electronic adj mail))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 18:34
-	4	@ad<20001004 and (specify$3 or forward$3) near (different or alternate) same (recipient or email or e-mail or receiver or (electronic adj mail)) and SMTP and (mail or email or e-mail or (electronic adj mail)) adj system	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 18:34
-	6	@ad<20001004 and (specif$4 near (different or another or alternate) adj (recipient or email or e-mail or receiver))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 18:40
-	21	@ad<20001004 and (specif$4 near (different or another or alternate) adj (recipient or receiver or destination))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 18:41
-	10	@ad<20001004 and (specify$3 near (different or another or alternate) adj (recipient or receiver or destination))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 18:42

C:\APPS\east\workspaces\09679212_AlternateEmailForwarding.wsp

-	0	@ad<20001004 and (specify$3 or forward$3) adj (different or another or alternate) adj (recipient or receiver or destination) and SMTP	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 18:43
-	0	@ad<20001004 and (specify$3 or forward$3) near (different or another or alternate) adj (recipient or receiver or destination) and SMTP	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 18:43
-	0	@ad<20001004 and (specify$3 or forward$3) near (different or another or alternate) near (recipient or receiver or destination) and SMTP	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 18:43
-	41	@ad<20001004 and (specify$3 or forward$3) near (different or another or alternate) near (recipient or receiver or destination)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 18:43
-	13	@ad<20001004 and (specify$3 or forward$3) near (different or another or alternate) near (recipient or receiver or destination) and (email or e-mail or SMTP)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 18:48
-	14	@ad<20001004 and (specify$3 or forward$3 or redirect$3) near (different or another or alternate) near (recipient or receiver or destination) and (email or e-mail or SMTP)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 18:49
-	62	@ad<20001004 and (specify$3 or forward$3 or redirect$3) same (different or another or alternate) adj (recipient or receiver or destination) and (email or e-mail or SMTP)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 19:01
-	26	@ad<20001004 and (specify$3 or forward$3 or redirect$3) same (different or another or alternate) adj (recipient or receiver or destination) and (email or e-mail or SMTP) and sender	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 19:21
-	270	@ad<20001004 and (specify$3 or forward$3 or redirect$3) same (different or another or alternate) same (recipient or receiver or destination) and (email or e-mail or SMTP) and sender	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 19:21
-	35	@ad<20001004 and (specify$3 or forward$3 or redirect$3) same (different or another or alternate) near (recipient or receiver or destination) and (email or e-mail or SMTP) and sender	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 19:48
-	38	@ad<20001004 and (specify$3 or forward$3 or redirect$3 or rerout$3 or re-rout$3) same (different or another or alternate) near (recipient or receiver or destination) and (email or e-mail or SMTP) and sender	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 19:49
-	398	@ad<20001004 and ((specify$3 or select$3 or choos$3) and (forward$3 or redirect$3 or rerout$3 or re-rout$3 or transmit$4 or deliver$3)) same (different or another or alternate) near (recipient or receiver or destination)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 19:50
-	398	@ad<20001004 and (specify$3 or select$3 or choos$3) same (different or another or alternate) near (recipient or receiver or destination) and (forward$3 or redirect$3 or rerout$3 or re-rout$3 or transmit$4 or deliver$3) same (different or another or alternate) near (recipient or receiver or destination)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 19:51

C:\APPS\east\workspaces\09679212_AlternateEmailForwarding.wsp

–		6	@ad<20001004 and ((specify$3 or select$3 or choos$3) near (different or another or alternate) near (recipient or receiver or destination)) and ((forward$3 or redirect$3 or rerout$3 or re-rout$3 or transmit$4 or deliver$3) near (different or another or alternate) near (recipient or receiver or destination))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 19:57
–		278	@ad<20001004 and ((specify$3 or select$3 or choos$3) same (different or another or alternate) adj (recipient or receiver or destination)) and ((forward$3 or redirect$3 or rerout$3 or re-rout$3 or transmit$4 or deliver$3) same (different or another or alternate) adj (recipient or receiver or destination))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 19:58
–		82	@ad<20001004 and ((specify$3 or select$3 or choos$3) same (alternate) adj (recipient or receiver or destination)) and ((forward$3 or redirect$3 or rerout$3 or re-rout$3 or transmit$4 or deliver$3) same (alternate) adj (recipient or receiver or destination))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 20:17
–		17	@ad<20001004 and ((sender or user) same (specify$3 or select$3 or choos$3) same (alternate) adj (recipient or receiver or destination)) and ((forward$3 or redirect$3 or rerout$3 or re-rout$3 or transmit$4 or deliver$3) same (alternate) adj (recipient or receiver or destination))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 20:18
–		20	@ad<20001004 and ((sender or user) same (specify$3 or select$3 or choos$3 or provid$3) same (alternate) adj (recipient or receiver or destination)) and ((forward$3 or redirect$3 or rerout$3 or re-rout$3 or transmit$4 or deliver$3) same (alternate) adj (recipient or receiver or destination))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 20:30
–		13	@ad<20001004 and ((sender or user) near (specify$3 or select$3 or choos$3 or provid$3) same (alternate or different or another) adj (recipient or receiver or destination or address)) and ((forward$3 or redirect$3 or rerout$3 or re-rout$3 or transmit$4 or deliver$3) same (alternate) adj (recipient or receiver or destination or address))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 20:35
–		8	@ad<20001004 and ((sender or caller) near (specify$3 or select$3 or choos$3 or provid$3) same (alternate or different or another) adj (recipient or receiver or destination or address)) and ((forward$3 or redirect$3 or rerout$3 or re-rout$3 or transmit$4 or deliver$3) same (alternate) adj (recipient or receiver or destination or address))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 20:41
–		8	@ad<20001004 and ((sender or caller) adj (specify$3 or select$3 or choos$3 or provid$3) same (alternate or different or another) adj (recipient or receiver or destination or address))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 20:40

—		7	@ad<20001004 and ((sender or caller) adj (specify$3 or select$3 or choos$3 or provid$3) same (alternate or different or another or other) adj (recipient or receiver or destination or address)) and ((forward$3 or redirect$3 or rerout$3 or re-rout$3 or transmit$4 or deliver$3) same (alternate or different or another or other) same (recipient or receiver or destination or address))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 20:43
—		28	@ad<20001004 and ((sender or caller) adj (specify$3 or select$3 or choos$3 or provid$3) same (alternate or different or another or other) same (recipient or receiver or destination or address)) and ((forward$3 or redirect$3 or rerout$3 or re-rout$3 or transmit$4 or deliver$3) same (alternate or different or another or other) same (recipient or receiver or destination or address))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 20:54
—		8	@ad<20001004 and ((sender or caller) adj (specify$3 or select$3 or choos$3 or provid$3) same (alternate or different or another or other) adj (recipient or receiver or destination or address))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 20:54
—		13	@ad<20001004 and ((sender or caller) near (specify$3 or select$3 or choos$3 or provid$3) same (alternate or different or another or other) adj (recipient or receiver or destination or address))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 20:56
—		77	@ad<20001004 and ((sender or caller) same (specify$3 or select$3 or choos$3 or provid$3) same (alternate or different or another or other) adj (recipient or receiver or destination or address))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 20:56
—		24	@ad<20001004 and ((sender or caller) same (specify$3 or select$3 or choos$3 or provid$3) same (alternate or different or another or other) adj (recipient or receiver or destination or address)) and (SMTP or email or e-mail or (electronic adj mail))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 20:56
—		8	@ad<20001004 and ((sender) same (specify$3 or select$3 or choos$3 or provid$3) same (alternate or different or another or other) adj (recipient or receiver or destination or address)) and (SMTP or email or e-mail or (electronic adj mail))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 21:01
—		19	@ad<20001004 and ((sender) same (specify$3 or select$3 or choos$3 or provid$3) same (alternate or different or another or other) adj (recipient or receiver or destination or address))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 21:04
—		0	@ad<20001004 and ((sender) near (specify$3 or select$3 or choos$3 or provid$3) same (alternate or different or another or other) adj (recipient or receiver or destination or address))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 21:04
—		1	@ad<20001004 and ((sender) near (specify$3 or select$3 or choos$3 or provid$3) same (alternate or different or another or other) near (recipient or receiver or destination or address))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 21:04
—		55	@ad<20001004 and ((sender) near (specify$3 or select$3 or choos$3 or provid$3) and (alternate or different or another or other) near (recipient or receiver or destination or address))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 21:05

C:\APPS\east\workspaces\09679212_AlternateEmailForwarding.wsp

-		6	@ad<20001004 and ((sender) near (specify$3 or select$3 or choos$3 or provid$3) and (alternate or different or another or other) near (recipient or receiver or destination or address)) and SMTP and (email or e-mail or (electronic adj mail))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 21:07
-		35	@ad<20001004 and ((sender) same (specify$3 or select$3 or choos$3 or provid$3) same (alternate or different or another or other) same (recipient or receiver or destination or address)) and SMTP and (email or e-mail or (electronic adj mail))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 21:07
-		0	@ad<20001004 and ((sender) same (specify$3 or select$3 or choos$3 or provid$3) same (alternate or different or another or other) adj (recipient or receiver or destination or address)) and SMTP and (email or e-mail or (electronic adj mail))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 21:07
-		2	@ad<20001004 and ((sender) adj (specify$3 or select$3 or choos$3 or provid$3) same (alternate or different or another or other) same (recipient or receiver or destination or address)) and SMTP and (email or e-mail or (electronic adj mail))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 21:08
-		32	@ad<20001004 and ((sender or user or caller or originator) adj (specify$3 or select$3 or choos$3 or provid$3) same (alternate or different or another or other) same (recipient or receiver or destination or address)) and SMTP and (email or e-mail or (electronic adj mail))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 21:09
-		1	@ad<20001004 and ((sender or user or caller or originator) adj (specify$3 or select$3 or choos$3 or provid$3 or supply$3) same (alternate or different or another or other) adj (recipient or receiver or destination or address)) and SMTP and (email or e-mail or (electronic adj mail))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 21:10
-		0	@ad<20001004 and ((sender or user or caller or originator) adj (specify$3 or select$3 or choos$3 or provid$3 or supply$3) same (alternate) adj (recipient or receiver or destination or address)) and SMTP and (email or e-mail or (electronic adj mail))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 21:19
-		5	@ad<20001004 and ((sender or user or caller or originator) adj (specify$3 or select$3 or choos$3 or provid$3 or supply$3) same (alternate) adj (recipient or receiver or destination or address)) and (email or e-mail or (electronic adj mail))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 21:12
-		10	@ad<20001004 and ((sender or user or caller or originator) near (specify$3 or select$3 or choos$3 or provid$3 or supply$3) same (alternate) adj (recipient or receiver or destination or address)) and (email or e-mail or (electronic adj mail))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 21:16
-		24	@ad<20001004 and ((sender or user or caller or originator) near (specify$3 or select$3 or choos$3 or provid$3 or supply$3) same (alternate) adj (recipient or receiver or destination or address))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 21:18

C:\APPS\east\workspaces\09679212_AlternateEmailForwarding.wsp

-	145	@ad<20001004 and ((sender or user or caller or originator) adj (specify$3 or select$3 or choos$3 or provid$3 or supply$3) and (alternate) adj (recipient or receiver or destination or address))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 21:18
-	5	@ad<20001004 and ((sender or user or caller or originator) adj (specify$3 or select$3 or choos$3 or provid$3 or supply$3) and (alternate) adj (recipient or receiver or destination or address)) and SMTP and (email or e-mail or (electronic adj mail))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 21:23
-	0	@ad<20001004 and ((sender or user or caller or originator) adj (specify$3 or select$3 or choos$3 or provid$3 or supply$3) and (alternate) adj (recipient or receiver or destination or address)) and ARCPT and (email or e-mail or (electronic adj mail))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 21:27
-	55	@ad<20001004 and ((sender or user or caller or originator) adj (specify$3 or select$3 or choos$3 or provid$3 or supply$3) and (alternate) adj (recipient or receiver or destination or address)) and (email or e-mail or (electronic adj mail))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 21:40
-	0	@ad<20001004 and ((sender or user or caller or originator) adj (specify$3 or provid$3 or supply$3) adj (alternate) adj (recipient or receiver or destination or address))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 21:41
-	0	@ad<20001004 and ((sender or user or caller or originator) adj (specify$3 or provid$3 or supply$3) near (alternate) adj (recipient or receiver or destination or address))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 21:41
-	2	@ad<20001004 and ((sender or user or caller or originator) adj (specify$3 or provid$3 or supply$3) same (alternate) adj (recipient or receiver or destination or address))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 21:41
-	4	@ad<20001004 and ((sender or user or caller or originator) adj (specify$3 or provid$3 or supply$3) same (alternate or other or another) adj (recipient or receiver or destination or email or e-mail or address))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 21:42
-	2	@ad<20001004 and ((sender or user or caller or originator) adj (specify$3 or provid$3 or supply$3) same (alternate or another) adj (recipient or receiver or destination or email or e-mail or address))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 21:44
-	3	@ad<20001004 and ((sender or user or caller or originator) near (specify$3 or provid$3 or supply$3) same (alternate or another) adj (recipient or receiver or destination or email or e-mail or address))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 21:44
-	3	@ad<20001004 and ((sender or user or caller or originator) near (specify$3 or provid$3 or supply$3) same (alternate or another) near (recipient or receiver or destination or email or e-mail or address))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 21:44
-	19	@ad<20001004 and ((sender or user or caller or originator) near (specify$3 or provid$3 or supply$3) same (alternate or another) same (recipient or receiver or destination or email or e-mail or address))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 21:46

C:\APPS\east\workspaces\09679212_AlternateEmailForwarding.wsp

-	33	@ad<20001004 and ((sender or user or caller or originator) same (specify$3 or provid$3 or supply$3) same (alternate or another) adj (recipient or receiver or destination or email or e-mail or address))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 21:49
-	10	@ad<20001004 and ((sender or user or caller or originator) near (specify$3 or provid$3 or supply$3) same (alternate or another or forward$3) adj (recipient or receiver or destination or email or e-mail or address))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 21:55
-	118	@ad<20001004 and ((sender or user or caller or originator) same (specify$3 or provid$3 or supply$3) same (alternate or another or forward$3) adj (recipient or receiver or destination or email or e-mail or address))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 16:56
-	17	@ad<20001004 and ((sender or user or caller or originator) same (specify$3 or provid$3 or supply$3) same (alternate or another or forward$3) adj (recipient or receiver or destination or email or e-mail or address)) and (email or e-mail) and SMTP	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 22:00
-	3	@ad<20001004 and ((sender or user or caller or originator) same (specify$3 or provid$3 or supply$3) near (alternate or another or forward$3) adj (recipient or receiver or destination or email or e-mail or address))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 22:00
-	20	@ad<20001004 and ((sender) same (specify$3 or provid$3 or supply$3) same (alternate or another or forward$3) adj (recipient or receiver or destination or email or e-mail or address))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 22:01
-	18	@ad<20001004 and ((sender or caller) same (specify$3 or provid$3 or supply$3) same (alternate) adj (recipient or receiver or destination or email or e-mail or address))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 22:07
-	33	@ad<20001004 and ((sender or user or caller) same (specify$3 or provid$3 or supply$3) same (alternate) adj (recipient or receiver or destination or email or e-mail or address))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 22:10
-	1	@ad<20001004 and ((sender) same (specify$3 or provid$3 or supply$3) same (alternate) adj (recipient or receiver or destination or email or e-mail or address))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 22:10
-	3	@ad<20001004 and ((sender or user or caller) near (specify$3 or provid$3 or supply$3) same (alternate) adj (recipient or receiver or destination or email or e-mail or address))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 22:10
-	43	@ad<20001004 and ((sender or caller) same (specify$3 or provid$3 or supply$3) same (alternate or another or forward$3) adj (recipient or receiver or destination or email or e-mail or address))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 22:11
-	114	@ad<20001004 and ((sender or user or caller) same (specify$3 or provid$3 or supply$3) same (alternate or another or forward$3) adj (recipient or receiver or destination or email or e-mail or address))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 17:56

C:\APPS\east\workspaces\09679212_AlternateEmailForwarding.wsp